

Visión general

Información del Producto

**Relay module-DM72-RME-08-PN-1-4D-01A(H)-30030000093**

Solid State Relay Module,with socket ,can install 8 solid state relays,with relay Socket,with indicator light,panasonic relay,PNP or NPN signal can be input (Please contact us for relay replacement)

Ventajas del producto

- ☒ Each signal channel and power supply voltage have LED status indicators
- ☒ Ultra-small solid state relay, with a set of normally open contacts, one-to-one output at the output
- ☒ Suitable for NPN, PNP controller
- ☒ 适Freewheeling diode for each signal path
- ☒ Suitable for DC load

Certificación del producto

Datos técnicos

Dibujo del producto

Modelo 3D



Overview

Installation location	Arbitrary
Number of channels	8
Shell Insulation Materials	PVC/PA66
color	green

Dimension

length	62mm
width	90mm
Height	60mm

Environmental data

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage / transport)	-20 °C ... 70 °C

Standards/Regulations

Standards/Regulations	IEC61810
Pollution level	3
Overvoltage category	III

Output technical data

Contact type	1NO
Maximum switching voltage	60VAC 60VDC
Limit continuous current	3A
Fault monitoring (open circuit/short circuit)	no

Output connection data

Connection name	Output
Connection method	Screw connection
Stripping length	6-7mm
screw thread	M3
Connection volume	1
Number of digits	16
Hard wire cross section	1.0 ... 2.5mm ²
Cross section of flexible conductor	1.0 ... 2.5mm ²
Connectable guide cross section AWG	28 ... 12AWG

Enter connection data

Rated input voltage	20VDC~ 28VDC
Relative to UN input voltage range	0.9....1.1

Protected name	Polarity protection
Protection circuit/component	Polarity protection diode
Status display/channel	green
Connection name	input
Connection method	screw connection
Stripping length	6-7mm
screw thread	M3
Connection volume	1
Number of digits	10
Hard wire cross section	1.0 ... 2.5mm²
Cross section of flexible conductor	1.0 ... 2.5mm²
Connectable guide cross section AWG	28...12AWG

Accesorios

Datos empresariales

Número de pedido	30030000093
Unidad de embalaje	4
Cantidad mínima de pedido	4
Peso del producto (sin embalaje)	128